

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	117313	(data with field)	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/20 14:28
S2	5018	(data with field)same connection	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/20 14:30
S3	32	(data with field)same connection same datagram	USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/20 14:30
S4	1	(data with field)same connection same datagram same resolution	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 14:31
S5	48	((data with field)same connection and (datagram same resolution)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 14:34
S6	8	((data with field)same connection and (datagram same resolution) and (process same adapter)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 14:35
S7	8	((data with field)same connection and (datagram same resolution) and (process same adapter)and (multiple with connections)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 14:37
S8	8	((data with field)same connection and (datagram same resolution) and (process same adapter)and (multiple with connections)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:09
S9	16	((data samefield)same connection and (datagram same resolution) and (process same adapter)and (multiple with connections)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:09
S10	8	((data same field)same connection and (datagram same resolution) and (process same adapter)and (multiple with connections)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:10
S11	8	((data same field)same connections )and (datagram same resolution) and (process same adapter)and (multiple with connections)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:38
S12	0	(raid same sybsystem)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:38
S13	962	(raid same subsystem)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:39

S14	311	(raid same "SAN")	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:39
S15	311	("RAID" same "SAN")	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:39
S16	7123	channel with adapter	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:40
S17	6	(channel with adapter) same (establish\$3 same (multiple with connections))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:41
S18	10	(channel with adapter) same (establish\$3 same ((multiple or many) with connections))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:41
S19	115	(channel with adapter) same (establish\$3 with connections)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:41
S20	12	((channel with adapter) same (establish\$3 with connections)) and (communicat\$5 same manag\$5 same request\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:42
S21	6	((channel with adapter) same (establish\$3 with connections)) and (communicat\$5 same manag\$5 same request\$3) and (data same field)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:42
S22	0	((channel with adapter) same (establish\$3 with connections)) and (communicat\$5 same manag\$5 same request\$3) and ((data same field)same process same consumer)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:43
S23	2	((channel with adapter) same (establish\$3 with connections)) and (communicat\$5 same manag\$5 same request\$3) and (data same field) and (process same consumer)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/20 15:43
S24	6	((channel with adapter) same (establish\$3 with connections)) and (communicat\$5 same manag\$5 same request\$3) and (data same field) and (process )	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 11:29
S25	115	((channel with adapter) same (establish\$3 with connections))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 11:29

S26	7	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) with request\$3 with manag\$5)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 11:30
S27	1	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) with request\$3 with manag\$5) and (first near5 process\$2)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 11:31
S28	0	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) with request\$3 with manag\$5) and (first near5 process\$2) and datagram	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 11:31
S29	4	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) same request\$3 same manag\$5) and (first near5 process\$2) and datagram	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 11:31
S30	0	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) same request\$3 same manag\$5) and (first near5 process\$2) and (datagram same resolution)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 11:32
S31	0	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) same request\$3 same manag\$5) and (first near5 process\$2) and (datagram and resolution)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 11:32
S32	4	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) same request\$3 same manag\$5) and (first near5 process\$2) and (datagram )	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 11:33
S33	0	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) same request\$3 same manag\$5) and (first near5 process\$2) and (datagram ) and (data with field)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 11:33

S34	4	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) same request\$3 same manag\$5) and (first near5 process\$2) and (datagram ) and ( field)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 11:33
S35	4	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) same request\$3 same manag\$5) and (first near5 process\$2) and (datagram ) and ( field)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 13:05
S36	4552	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) same request\$3 same manag\$5) a and (datagram ) and ( field)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 13:05
S37	163	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) same request\$3 same manag\$5) a and (datagram ) and ( field) and (Unreliable near5 Datagram)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 13:06
S38	89	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) same request\$3 same manag\$5) a and (datagram ) and ( data with field) and (Unreliable near5 Datagram)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 13:06
S39	23	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) same request\$3 same manag\$5) a and (datagram ) and ( (data with field) same(Unreliable near5 Datagram))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 13:06
S40	0	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) same request\$3 same manag\$5) and (datagram ) and ( (data with field) same(Unreliable near5 Datagram))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 13:07

S41	0	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) same request\$3 same manag\$5) and (datagram ) and ( ( field) same(Unreliable near5 Datagram))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 13:07
S42	0	((channel with adapter) same (establish\$3 with connections)) and ((send\$3 or receiv\$3 or obtain\$3) same request\$3 same manag\$5) and ( ( field) same(Unreliable near5 Datagram))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 13:07
S43	0	((channel with adapter) same (establish\$3 with connection)) and ((send\$3 or receiv\$3 or obtain\$3) same request\$3 same manag\$5) and ( ( field) same(Unreliable near5 Datagram))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 13:08
S44	11	( ( field) same(Unreliable near5 Datagram))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 13:08
S45	126	( ( field) same(Unreliable near5 Datagram)) ((channel with adapter) same (establish\$3 with connection))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 14:46
S46	0	( ( field) same(Unreliable near5 Datagram)) and ((channel with adapter) same (establish\$3 with connection))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 13:08
S47	0	( ( field) same(Unreliable near5 Datagram)) and (channel with adapter) and (establish\$3 with connection)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 13:08
S48	1	( ( field) same(Unreliable near5 Datagram)) and (channel with adapter with connection)	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 13:09
S49	0	( ( field) same(Unreliable near5 Datagram)) and((channel with adapter) same (establish\$3 with connection))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 14:47
S50	0	( ( field) same(Unreliable near5 Datagram)) and((channel with adapter) and(establish\$3 with connection))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 14:47
S51	11	( ( field) same(Unreliable near5 Datagram))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 14:47

S52	2	(( field) same(Unreliable near5 Datagram)) and((channel with adapter) and(establish\$3 sme connection))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 14:47
S53	0	(( field) same(Unreliable near5 Datagram)) and((channel with adapter) and(establish\$3 same connection))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 14:48
S54	0	(( field) same(Unreliable near5 Datagram)) and((channel same adapter) and(establish\$3 same connection))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 14:47
S55	18	(( Unreliable near5 Datagram)) and((channel same adapter) and(establish\$3 same connection))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 14:47
S56	18	(( field) and(Unreliable near5 Datagram)) and((channel same adapter) and(establish\$3 same connection))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 14:47
S57	17	(( field)and(Unreliable near5 Datagram)) and((channel with adapter) and(establish\$3 same connection))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 14:48
S58	32	(( field)and(Unreliable near5 Datagram)) and((channel with adapter) and(establish\$3 and connection))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 14:48
S59	14	(( field)and(Unreliable near5 Datagram)) and((channel with adapter) and(establish\$3 with connection))	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 14:58
S60	3	(( field)and(Unreliable near5 Datagram)) and((channel with adapter) and((establish\$3 with connection) same (Unreliable near5 Datagram)) )	USPAT; EPO; JPO; DERWENT	OR	ON	2006/01/21 14:48